Off-Plane Gratings

Webster Cash University of Colorado

Status

- RGS Requirements
 - Set Based on In-plane Capability
 - In 1996, Before Chandra Launch
- ▶ But with Off-plane:
 - At R~300 Can Build a Module to TRL 6 in 18 months
 - At R~800 Can Probably Hit TRL 6 in under 2 years
 - At R~3000 Flatness requirements dominate needs serious development

In December We Proposed

- ► Panter Test Summer 2006
 - Show Resolution & Efficiency Simultaneously
 - Single (thick) radial grating in XMM beam
 - Goal is to show ruling technology is ready
- Create and Document Full Off-plane Design
 - Quantify Risk and Degraded Performance
- Build a Module
 - Goal of TRL 6 for R~800

But NASA's New Budget Puts This at Risk

Science Issue: Resolution


(Here's Where I Turn Into Jeff Linsky)

► Goal 3000


► Requirement 300


▶ Minimum


- Requirement is usually a self-fulfilling prophecy because any good Project Manager will put priority on meeting only that level.
- Minimum is that level at which there is no scientific justification left.
- ▶ I believe that we have a case where the minimum is higher than the requirement.



Effective Area







So.....

► Throw The RGS Off Now

► OR

► Increase Requirement/Goal to 1500/3000

Execute Us Now. Torture Is Illegal in Blue States.

In The Current Context

- ► Facing A Tough Downselect
 - LISA, JDEM and possibly others (TPF?)
- ► Saving X-ray Community Not Enough
 - Look at what's happened to UV community

- Excellent Science Not Enough
 - The Others are Excellent Too

Response

- Compelling Science
 - Elevator Quality
 - High Resolution > 1500
- Lower Mission Cost
 - Can There Be Any Other \$Billion + Mission Beside JWST in the Coming Decade?